



## Compact Fluorescent Lamps

| Watts | City Lights Order Code | Bulb Code & Description    | Lumens | Kelvin | Nominal MOL | Avg. life hours | CRI |
|-------|------------------------|----------------------------|--------|--------|-------------|-----------------|-----|
|       |                        | <i>Dulux Preheat 2-Pin</i> |        |        |             |                 |     |
| 5     | 12246                  | CF5DS/841                  | 230    | 4100   | 4.2"        | 10000           | 82  |
|       |                        |                            |        |        |             |                 | 82  |
| 7     | 14294                  | CF7DS/827                  | 400    | 2700   | 5.3"        | 10000           | 82  |
| 7     | 14301                  | CF7DS/835                  | 400    | 3500   | 5.3"        | 10000           | 82  |
| 7     | 12842                  | CF7DS/841                  | 400    | 4100   | 5.3"        | 10000           | 82  |
| 7     | 14641                  | CF7DS/850                  | 400    | 5000   | 5.3"        | 10000           | 82  |
|       |                        |                            |        |        |             |                 |     |
| 9     | 14181                  | CF9DS/827                  | 580    | 2700   | 6.5"        | 10000           | 82  |
| 9     | 13885                  | CF9DS/835                  | 580    | 3500   | 6.5"        | 10000           | 82  |
| 9     | 10213                  | CF9DS/841                  | 580    | 4100   | 6.5"        | 10000           | 82  |
| 9     | 14689                  | CF9DS/850                  | 580    | 5000   | 6.5"        | 10000           | 82  |
| 9     | 10879                  | PL9/Triten50               |        |        |             | 10000           | 82  |
| 9     | 13887                  | CF9DD/827                  | 525    | 2700   | 4.3"        | 10000           | 82  |
| 9     | 11107                  | CF9DD/835                  | 525    | 3500   | 4.3"        | 10000           | 82  |
|       |                        |                            |        |        |             |                 |     |
| 13    | 11256                  | CF13DS/827                 | 800    | 2700   | 7.1"        | 10000           | 82  |
| 13    | 11554                  | CF13DS/835                 | 800    | 3500   | 7.1"        | 10000           | 82  |
| 13    | 11703                  | CF13DS/841                 | 800    | 4100   | 7.1"        | 10000           | 82  |
| 13    | 14726                  | CF13DS/850                 | 800    | 5000   | 7.1"        | 10000           | 82  |
| 13    | 11852                  | PL13W/Triten50             |        |        |             | 10000           | 82  |
| 13    | 12150                  | PL-C13W/827/Diagonal pins  | 900    | 2700   | 5.5"        | 10000           | 82  |
| 13    | 12448                  | CF13DD/827                 | 780    | 2700   | 4.6"        | 10000           | 82  |
| 13    | 14761                  | CF13DD/830                 | 780    | 3000   | 4.6"        | 10000           | 82  |
| 13    | 12746                  | CF13DD/835                 | 780    | 3500   | 4.6"        | 10000           | 82  |
| 13    | 13491                  | CF13DD/841                 | 780    | 4100   | 4.6"        | 10000           | 82  |
| 13    | 14126                  | CF13DD/850                 | 780    | 5000   | 4.6"        | 10000           | 82  |
| 13    | 15777                  | CF13DD/835/Diagonal pins   | 780    | 3500   | 4.6"        | 10000           | 82  |
|       |                        |                            |        |        |             |                 |     |
| 18    | 14286                  | CF18DD/827                 | 1150   | 2700   | 6.0"        | 10000           | 82  |
| 18    | 11309                  | CF18DD/835                 | 1150   | 3500   | 6.0"        | 10000           | 82  |
| 18    | 11607                  | CF18DD/841                 | 1150   | 4100   | 6.0"        | 10000           | 82  |
|       |                        |                            |        |        |             |                 |     |
| 26    | 13544                  | CF26DD/827                 | 1710   | 2700   | 6.8"        | 10000           | 82  |
| 26    | 13991                  | CF26DD/830                 | 1710   | 3000   | 6.8"        | 10000           | 82  |
| 26    | 10021                  | CF26DD835                  | 1710   | 3500   | 6.8"        | 10000           | 82  |
| 26    | 14176                  | CF26DD/841                 | 1710   | 4100   | 6.8"        | 10000           | 82  |
| 26    | 13693                  | PL-C26W/827                | 1800   | 2700   | 6.8"        | 10000           | 82  |
|       |                        |                            |        |        |             |                 |     |



| Watts                              | City Lights Order Code | Bulb Code & Description | Lumens | Kelvin | Nominal MOL | Avg. life hours | CRI |
|------------------------------------|------------------------|-------------------------|--------|--------|-------------|-----------------|-----|
| <b><i>Dulux 4-Pin Ecologic</i></b> |                        |                         |        |        |             |                 |     |
| 9                                  | 10809                  | CF9DS/E/827             | 580    | 2700   | 5.7"        | 10000           | 82  |
| 13                                 | 15871                  | CF13DS/E/841            | 800    | 4100   | 6.2"        | 12000           | 82  |
| 13                                 | 14087                  | CF13DD/E/827            | 900    | 2700   | 5.2"        | 12000           | 82  |
| 13                                 | 10266                  | CF13DD/E/835            | 900    | 3500   | 5.2"        | 12000           | 82  |
| 13                                 | 10564                  | CF13DD/E/841            | 900    | 4100   | 5.2"        | 12000           | 82  |
| 13                                 | 11201                  | CF13DD/E/850            | 900    | 5000   | 5.2"        | 12000           | 82  |
| 18                                 | 12501                  | CF18DD/E/827            | 1150   | 2700   | 5.8"        | 12000           | 82  |
| 18                                 | 12650                  | CF18DD/835              | 1150   | 3500   | 5.8"        | 12000           | 82  |
| 18                                 | 12799                  | CF18DD/E/841            | 1150   | 4100   | 5.8"        | 12000           | 82  |
| 18                                 | 15139                  | F18DBX/SPX41/4PLR       |        |        | 5.8"        | 12000           | 82  |
| 18                                 | 14948                  | PL-C18W/827             | 1250   | 2700   | 6"          | 12000           | 82  |
| 22                                 | 12056                  | FDL22EX/D/5000K         |        | 5000   |             |                 | 82  |
| 22                                 | 12948                  | FDL22LE/D/2800K         |        | 2800   |             |                 | 82  |
| 22                                 | 13097                  | PL-C15MM/22W/827        |        | 2700   |             |                 | 82  |
| 26                                 | 10915                  | CF26DD/E/827            | 1710   | 2700   | 6.5"        | 12000           | 82  |
| 26                                 | 14985                  | CF26DD/E/830            | 1710   | 3000   | 6.5"        | 12000           | 82  |
| 26                                 | 11213                  | CF26DD/E/835            | 1710   | 3500   | 6.5"        | 12000           | 82  |
| 26                                 | 14927                  | CF26DD/E/841            | 1710   | 4100   | 6.5"        | 12000           | 82  |
| 26                                 | 15015                  | CF26DT/E/827            | 1800   | 2700   | 5.2"        | 12000           | 82  |
| 26                                 | 15869                  | CF26DT/E/835            | 1800   | 3500   | 5.2"        | 12000           | 82  |
| 26                                 | 14626                  | CF26DT/E/841            | 1800   | 4100   | 5.2"        | 12000           | 82  |
| 27                                 | 11958                  | FDL27E                  |        |        |             |                 | 82  |
| 28                                 | 14516                  | FDL28EX/D/5000K         |        | 5000   |             |                 | 82  |
| 28                                 | 12405                  | FDL28LE/D/2800K         |        | 2800   |             |                 | 82  |
| 28                                 | 12107                  | PL-C15MM/28W/827        |        | 2700   |             |                 | 82  |



**Local Numbers**

Phone: 602 233 2552  
 Fax: 602 233 1102




**FOR HELP PLEASE CALL OUR**

**TOLL FREE NUMBERS**

Phone: 877 615 4448  
 Fax: 877 432 8527

[www.citylightsphx.com](http://www.citylightsphx.com)

# Compact Fluorescent Lamps



| Watts                                     | City Lights Order Code | Bulb Code & Description | Lumens | Kelvin | Nominal MOL | Avg. life hours | CRI |
|---|------------------------|-------------------------|--------|--------|-------------|-----------------|-----|
| <b><i>Dulux 4 Pin Ecologic</i></b>        |                        |                         |        |        |             |                 |     |
| 32  | 12554                  | CF32DT/E/827            | 2400   | 2700   | 5.8"        | 12000           | 82  |
| 32  | 16063                  | CF32DT/E/830            | 2400   | 3000   | 5.8"        | 12000           | 82  |
| 32  | 14280                  | CF32DT/E/835            | 2400   | 3500   | 5.8"        | 12000           | 82  |
| 32  | 15842                  | CF32DT/E/841            | 2400   | 4100   | 5.8"        | 12000           | 82  |
| 42  | 13474                  | CF42DT/E/827            |        | 2700   |             |                 | 82  |
| 42  | 15056                  | CF42DT/E/835            |        | 3500   |             |                 | 82  |
| 42  | 13448                  | CF42DT/E/841            |        | 4100   |             |                 | 82  |
| <b><i>PL-L 4 Pin Long Fluorescent</i></b> |                        |                         |        |        |             |                 |     |
| 18  | 12129                  | PL-L18W/35/RS           | 1250   | 3500   | 9"          | 15000           | 82  |
| 18  | 13895                  | PL-L18W/41/RS           | 1250   | 4100   | 9"          | 15000           | 82  |
| 24  | 14835                  | PL-L24W/30/RS           | 1800   | 3000   | 13"         | 15000           | 82  |
| 24  | 10005                  | PL-L24W/35/RS           | 1800   | 3500   | 13"         | 15000           | 82  |
| 36  | 14805                  | PL-L36W/30/RS           | 2900   | 3000   | 16.5"       | 15000           | 82  |
| 36  | 10373                  | PL-L36W/35/RS           | 2900   | 3500   | 16.5"       | 15000           | 82  |
| 36  | 14841                  | PL-L36W/41/RS           | 2900   | 4100   | 16.5"       | 15000           | 82  |
| 40  | 15873                  | PL-L40W/30/RS           | 3300   | 3000   | 22.5"       | 20000           | 82  |
| 40  | 11266                  | PL-L40W/35/RS           | 3300   | 3500   | 22.5"       | 20000           | 82  |
| 40  | 10225                  | PL-L40W/41/RS           | 3300   | 4100   | 22.5"       | 20000           | 82  |
| 50  | 11564                  | PL-L50W/35/RS           | 4300   | 3500   | 22.5"       | 20000           | 82  |

**Local Numbers**  
**Phone: 602 233 2552**  
**Fax: 602 233 1102**



**FOR HELP PLEASE CALL OUR**  
**TOLL FREE NUMBERS**  
**Phone: 877 615 4448**  
**Fax: 877 432 8527**  
[www.citylightsphx.com](http://www.citylightsphx.com)

| Watts                                     | City Lights Order Code | Bulb Code & Description        | Lumens | Kelvin | Nominal MOL | Avg. life hours | CRI |
|---|------------------------|--------------------------------|--------|--------|-------------|-----------------|-----|
| <b><i>Self Ballasted Spiral Lamps</i></b> |                        |                                |        |        |             |                 |     |
| 4   | 15974                  | CFE Torpedo Candelabra base    | 195    | 2700   | 4-3/8"      | 8000            | 82  |
| 7   | 16070                  | CFE A-shape medium base        | 450    | 4100   | 4-1/2"      | 8000            | 82  |
| 7   | 15995                  | CFE A-shape medium base        | 450    | 6500   | 4-1/2"      | 8000            | 82  |
| 9   | 23494                  | CFE Spiral                     | 520    | 2700   | 4-5/16"     | 10000           | 82  |
| 11  | 23571                  | CFE Spiral                     | 660    | 2700   | 4-5/8"      | 10000           | 82  |
|   |                        |                                |        |        |             | 10000           |     |
| 13  | 23648                  | CFE Spiral                     | 820    | 4100   | 4-3/4"      | 10000           | 82  |
| 13  | 23580                  | CFE Spiral                     | 820    | 5000   | 4-3/4"      | 10000           | 82  |
| 13  | 23476                  | CFE Spiral                     | 820    | 2700   | 4-3/4"      | 10000           | 82  |
| 13  | 23545                  | CFE Spiral GU24 Low profile    | 800    | 2700   | 2"          | 10000           | 82  |
| 13  | 23740                  | CFE Spiral GU24 Medium profile | 800    | 2700   | 3-1/4"      | 10000           | 82  |
| 14  | 15215                  | CFE Spiral                     | 800    | 2700   | 4-5/8"      | 10000           | 82  |
| 14  | 12737                  | CFE Tubular                    |        |        |             |                 | 82  |
| 14  | 12956                  | CFE G25 globe                  | 800    | 2700   | 5"          | 8000            | 82  |
| 14  | 12704                  | CFE SLS 14                     | 800    |        |             | 8000            | 82  |
| 15  | 12439                  | CFE Globe                      | 720    | 4100   | 5-5/8"      | 8000            | 80  |
| 15  | 15749                  | CFE open tube                  |        | 2700   |             | 8000            | 82  |
| 15  | 14501                  | CFE Spiral                     | 900    | 2700   | 5-3/8"      | 8000            | 82  |
| 15  | 12047                  | CFE Spiral                     | 900    | 5000   | 5-3/8"      | 8000            | 82  |
| 15  | 15226                  | CFE Spiral                     | 900    | 6500   | 5-3/8"      | 8000            | 82  |
| 16  | 11300                  | CFE Tubular                    |        | 4100   |             |                 | 82  |
| 16  | 15126                  | CFE Tubular                    |        | 6500   |             |                 | 82  |
| 18  | 23497                  | CFE Spiral GU24                |        | 2700   | 2-1/4"      | 10000           | 82  |
| 18  | 23579                  | CFE Spiral GU24                |        | 4100   | 2-1/4"      | 10000           | 82  |
|   |                        |                                |        |        |             |                 |     |
|   |                        |                                |        |        |             |                 |     |
|   |                        |                                |        |        |             |                 |     |
|   |                        |                                |        |        |             |                 |     |
|   |                        |                                |        |        |             |                 |     |
|   |                        |                                |        |        |             |                 |     |



# Compact Fluorescent Lamps

| Watts                              | City Lights Order Code | Bulb Code & Description  | Lumens | Kelvin | Nominal MOL | Avg. life hours | CRI |
|------------------------------------|------------------------|--------------------------|--------|--------|-------------|-----------------|-----|
| <i>Self Ballasted Spiral Lamps</i> |                        |                          |        |        |             |                 |     |
| 20                                 | 23490                  | CFE Spiral               | 1200   | 2700   | 4-3/4"      | 10000           | 82  |
| 20                                 | 23598                  | CFE Spiral               | 1200   | 3500   | 4-3/4"      | 10000           | 82  |
| 20                                 | 23725                  | CFE Spiral               | 1200   | 4100   | 4-3/4"      | 10000           | 82  |
| 20                                 | 23461                  | CFE Spiral               | 1200   | 5000   | 4-3/4"      | 10000           | 82  |
| 20                                 | 15321                  | CFE Spiral               | 1200   | 2700   | 4-13/16"    | 10000           | 82  |
| 20                                 | 15326                  | CFE Spiral               | 1200   | 5000   | 4-13/16"    | 10000           | 82  |
| 20                                 | 15999                  | CFE Spiral               | 1200   | 6500   | 4-13/16"    | 10000           | 82  |
| 20                                 | 12853                  | CFE SLSR20 Medium        | 1100   | 5000   | 5-5/8"      | 10000           | 82  |
| 23                                 | 23656                  | CFE Spiral 23W 27K       | 1425   | 2700   | 5-1/8"      | 10000           | 82  |
| 23                                 | 15991                  | CFE Spiral               | 1425   | 2700   | 5-1/8"      | 10000           | 82  |
| 23                                 | 15980                  | CFE Spiral               |        | 4100   |             | 10000           | 82  |
| 23                                 | 23746                  | CFE Spiral               | 1600   | 3500   | 5"          | 10000           | 82  |
| 23                                 | 23582                  | CFE Spiral               | 1600   | 4100   | 5"          | 10000           | 82  |
| 23                                 | 24225                  | CFE Spiral               | 1600   | 5000   | 5"          | 10000           | 82  |
| 26                                 | 23478                  | CFE Spiral               | 1700   | 2700   | 5-1/4"      | 10000           | 82  |
| 26                                 | 23704                  | CFE Spiral               | 1700   | 4100   | 5-1/4"      | 10000           | 82  |
| 26                                 | 23815                  | CFE Spiral               | 1700   | 5000   | 5-1/4"      | 10000           | 82  |
| 26                                 | 24435                  | CFE Spiral GU24          |        | 2700   |             | 10000           | 82  |
| 26                                 | 15337                  | CFE Open tube medium     | 1500   | 2700   | 6-1/4"      | 8000            | 82  |
| 26                                 | 15359                  | CFE Open tube screw base | 1500   | 2700   | 6-1/4"      | 8000            | 82  |
| 30                                 | 23492                  | CFE Spiral               | 2000   | 2700   | 5-5/8"      | 10000           | 82  |
| 30                                 | 23720                  | CFE Spiral               | 2000   | 4100   | 5-5/8"      | 10000           | 82  |
| 30                                 | 23584                  | CFE Spiral               | 2000   | 5000   | 5-5/8"      | 10000           | 82  |
| 32                                 | 15750                  | CFE Spiral               | 2100   | 2700   | 6"          | 10000           | 82  |
| 40                                 | 23480                  | CFE Spiral               | 2650   | 2700   | 6-1/8"      | 10000           | 82  |
| 40                                 | 23496                  | CFE Spiral               | 2650   | 5000   | 6-1/8"      | 10000           | 82  |
| 85                                 | 23473                  | CFE                      | 5000   | 5000   | 12-1/2"     |                 |     |
| 105                                | 23578                  | CFE                      | 6200   | 5000   | 13-1/4"     |                 |     |



