

Linear Fluorescent Lamps

Watts	City Lights Order Code	Bulb Code & Description	Lumens	Kelvin	Nominal MOL	Avg. life hours	CRI
<i>T5-Miniature Bi-Pin Preheat</i>							
4	14785	F4T5/CW	130	4100	6"	5000	60
4	14004	F4T5/D	115	6500	6"	5000	75
4	13706	F4T5/WW	140	3000	6"	5000	52
<i>T5-Miniature Bi-Pin</i>							
6	10779	F6T5/CW	290	4100	9"	5000	60
6	11375	F6T5/D	230	6500	9"	5000	75
8	12269	F8T5/CW	400	4100	12"	5000	60
8	15086	F8T5/D	330	6500	12"	5000	75
8	13014	F8T5/WW	410	3000	12"	5000	52
13	10385	F13T5/CW	860	4100	21"	5000	62
13	11411	F13T5/D	840	6500	21"	5000	75
13	10534	F13T5/WW	860	3000	21"	5000	50
14	14711	F14T5/835	1350	3500	22"	20000	85
14	14596	F14T5/841	1350	4100	22"	20000	85
21	15769	F21T5/835	2100	3500	33"	20000	85
21	14697	F21T5/841	2100	4100	33"	20000	85
24	15867	F24T5/835/HO	2000	3500	22"	20000	85
24	13207	F24T5/841/HO	2000	4100	22"	20000	85
28	15819	F28T5/835	2900	3500	46"	20000	85
28	14597	F28T5/841	2900	4100	46"	20000	85
39	15971	F39T5/835/HO	3500	3500	33"	20000	85
54	12402	F54T5830/HO	5000	3000	46"	20000	85
54	15559	F54T5/835/HO	5000	3500	46"	20000	85
54	15764	F54T5/841/HO	5000	4100	46"	20000	85
54	12303	F54T5/850/HO	5000	5000	46"	20000	85



Local Numbers

Phone: 602 233 2552
 Fax: 602 233 1102



FOR HELP PLEASE CALL OUR

TOLL FREE NUMBERS

Phone: 877 615 4448
 Fax: 877 432 8527

www.citylightsphx.com

Linear Fluorescent Lamps

Watts	City Lights Order Code	Bulb Code & Description	Lumens	Kelvin	Nominal MOL	Avg. life hours	CRI
		<i>T6-Single Pin - Instant Start</i>					
25	13564	F42T6/CW	1750	4100	42"	7500	60
25	10041	F42T6/D (Delisted)		6500	42"	7500	70
25	13862	F42T6/WW	1800	3000	42"	7500	52
		F42T6/D35 Replaces 10041					
40	10839	F64T6/CW	2800	4100	64"	7500	60
40	10541	F64T6/WW	2900	3000	64"	7500	52
40	10690	F64T6/SP35	2930	3500	64"	7500	73
		<i>T8-Medium Bi-Pin</i>					
10	14057	F10T8/CW		4100	13"	7500	60
10	10087	F10T8/D		6500	13"	7500	
		<i>T8-Medium Bi-Pin-Preheat</i>					
13	11428	F13T8/CW	565	4100	12"	7500	60
14	14832	F14T8/CW	685	4200	15"	7500	62
14	10298	F14T8/D	575	6500	15"	7500	76
15	10789	F15T8/CW	825	4100	18"	7500	60
15	15832	F15T8/D	700	6500	18"	7500	75
15	12428	F15T8/WW	845	3000	18"	7500	52
15	15986	F15T8/PL/AQ/Plant lite	510	3100	18"	7500	90
15	13322	F15T8/FS/Full spectrum	700	6500	18"	14000	94
		<i>T8-Medium Bi-Pin</i>					
17	12905	F17T8/730	1325	3000	24"	20000	75
17	13352	F17T8/735	1325	3500	24"	20000	75
17	13650	F17T8/741	1325	4100	24"	20000	75
17	15962	F17T8/750	1315	5000	24"	20000	75
17	15678	F17T8/835	1400	3500	24"	20000	85
17	15866	F17T8/841	1400	4100	24"	20000	85
17	15709	F17T8/850	1350	5000	24"	20000	85
		<i>T8-Medium Bi-Pin-Preheat</i>					
18	13882	F18T8/CW/K24	1190	4100	24"	7500	62
18	13663	F18T8/CW/K26	1240	4100	26"	7500	62
18	10140	F18T8/CW/K28	1240	4100	28"	7500	62
18	14249	F18T8/CW/K30	1300	4100	30"	7500	62
22	10746	F22T8/CW/26		4100	26"		62
22	10895	F22T8/D/4			26"		

Watts	City Lights Order Code	Bulb Code & Description	Lumens	Kelvin	Nominal MOL	Avg. life hours	CRI
<i>T8-Medium Bi-pin</i>							
25	15586	F25T8/730	2125	3000	36"	20000	75
25	14892	F25T8/735	2125	3500	36"	20000	75
25	14876	F25T8/741	2125	4100	36"	20000	75
25	15710	F25T8/750	2125	5000	36"	20000	75
25	16082	F25T8/830	2250	3000	36"	20000	85
25	10574	F25T8/835	2250	3500	36"	20000	85
25	10872	F25T8/841	2250	4100	36"	20000	85
25	11021	F25T8/SPX41	2250	4100	36"	20000	85
<i>T8-Medium Bi-pin -Preheat</i>							
30	12375	F30T8/CW	2175	4100	36"	7500	60
30	12673	F30T8/D	1850	6500	36"	7500	75
30	14084	F30T8/Arctic Brite			36"	7500	
30	10193	F30T8/Dark Pink color			36"	7500	
30	13865	F30T8/N	1500	3600	36"	7500	86
30	13418	F30T8/SL			36"	7500	
<i>T8-Medium Bi-pin</i>							
32	14518	F32T8/Super 730 Enviro	2850	3000	48"	20000	78
32	11617	F32T8/Super 735 Enviro	2850	3500	48"	20000	78
32	13554	F32T8/Super 741 Enviro	2850	4100	48"	20000	78
32	10031	F32T8/Super 750 Enviro	2850	5000	48"	20000	78
32	11319	F32T8/Triten 35 Enviro	2950	3500	48"	20000	86
32	11766	F32T8/Triten 41 Enviro	2950	4100	48"	20000	86
32	14598	F32T8/Triten 50 Enviro	2950	5000	48"	20000	86
32	15129	F32T8/830	2950	3000	48"	20000	
32	12958	F32T8/TL835/Alto	2950	3500	48"	20000	
32	12660	F32T8/SP35	2800	3500	48"	20000	
32	15680	F32T8/SPX35	2950	3500	48"	20000	
32	15076	F32T8/SP41	2800	4100	48"	20000	
32	15664	F32T8/SP65	2700	6500	48"	20000	
32	15079	F32T8/Sky Brite-90/850		5000	48"	20000	
32	14963	F32T8/950	2000	5000	48"	20000	98
32	15983	F32T8/Natural Lite Plus	2950	5600	48"	20000	



Local Numbers

Phone: 602 233 2552
 Fax: 602 233 1102



FOR HELP PLEASE CALL OUR

TOLL FREE NUMBERS

Phone: 877 615 4448
 Fax: 877 432 8527

www.citylightsphx.com

Linear Fluorescent Lamps

Watts	City Lights Order Code	Bulb Code & Description	Lumens	Kelvin	Nominal MOL	Avg. life hours	CRI
<i>T8-Medium-Bi-pin</i>							
40	15106	F40T8/735	3600	3500	60"	20000	78
40	15141	F40T8/741	3600	4100	60"	20000	78
40	12458	F40T8/TL741/Alto	3600	4100	60"	20000	78
40	12607	F40T8/835	3775	3500	60"	20000	86
40	14494	F40T8/TL835/Alto	3600	3500	60"	20000	86
40	14148	F40T8/841	3775	4100	60"	20000	86
40	15758	F40T8/950		5000	60"	20000	86
58	14316	F58T8/841	5800	4100	60"	18000	85
<i>T8-Single Pin</i>							
35	14329	F72T8/CW	3000	4100	72"	7500	60
35	11733	F72T8/WW	3100	3000	72"	7500	52
59	12829	F96T8/TL735	5700	3500	96"	24000	78
59	12978	F96T8/TL741	5700	4100	96"	24000	78
59	13425	F96T8/SP35	5800	3500	96"	15000	78
59	10051	F96T8/SP41	5800	4100	96"	15000	78
59	10200	F96T8/Triten 50	5780	5000	96"	24000	84
59	14507	F96T8/Natural Lite	5300	5600	96"	15000	91
<i>T8-Single Pin -HO-Double Recessed Contact</i>							
86	15684	F96T8/TL/735/HO	7900	3500	96"	18000	78
86	14648	F96T8/SPX35/HO	8200	3500	96"	18000	86
86	13276	F96T8/TL741/HO	7900	4100	96"	18000	78
86	14938	F96T8/SP41/HO	8000	4100	96"	18000	78
86	16062	F96T8/SPX41/HO	8200	4100	96"	18000	86

Local Numbers

Phone: 602 233 2552
Fax: 602 233 1102



FOR HELP PLEASE CALL OUR

TOLL FREE NUMBERS

Phone: 877 615 4448
Fax: 877 432 8527

www.citylightsphx.com

Watts	City Lights Order Code	Bulb Code & Description	Lumens	Kelvin	Nominal MOL	Avg. life hours	CRI
<i>T10-Medium Bi-pin</i>							
20	10991	F20T10/D		6500	23-3/8"		
40	14898	F40T10/Super natural lite	3425	5600	48"		91
40	11478	F40T10/Super spectralite	3425	5900	48"		90
40	12468	F40T10/TRI 50	3425	5000	48"		82
40	11793	F40T10/Triten 41	3625	4100	48"		82
<i>T10-Recessed Double Contact VHO (1500ma)</i>							
110	11084	F48T10/CW	6200	4100	48"	9000	60
135	13538	F60T10/CW	7000	4100	60"	6000	60
160	12031	F72T10/CW	9700	4100	72"	9000	60
<i>T12-Medium Bi-pin-Preheat</i>							
14	12024	F14T12/CW	650	4100	15"	7500	60
14	12620	F14T12/D	590	6500	15"	7500	76
14	12918	F14T12/WW	660	3000	15"	7500	52
15	15092	F15T12/CW	760	4100	18"	9000	60
15	10693	F15T12/D	650	6500	18"	9000	79
15	10842	F15T12/WW	780	3000	18"	9000	52
20	14251	F20T12/CW	1200	4100	24"	9000	62
20	11736	F20T12/CW/21"			21"	9000	
20	12034	F20T12/CW/26"			26"	9000	
20	14939	F20T12/D	1075	6500	24"	9000	75
20	13077	F20T12/D/22"	975	6500	22"	9000	
20	12928	F20T12/D/30"			30"	9000	
20	14901	F20T12/WW	1300	3000	24"	6000	53
20	10736	F20T12/SP35	1275	3500	24"	9000	73
20	13814	F20T12/SPX35	1300	3500	24"	9000	82
20	11183	F20T12/Artic brite			24"		
20	14189	F20T12/Natural lite	700	5200	24"	10000	61
20	11481	F20T12/SL Spectralite			24"	9000	
20	10001	F20T12/Red color			24"	9000	
20	15137	F20T12/Gold			24"	9000	
20	14297	F20T12/BB Special Blue			24"	9000	



Linear Fluorescent Lamps

Watts	City Lights Order Code	Bulb Code & Description	Lumens	Kelvin	Nominal MOL	Avg. life hours	CRI
<i>T12-Single Pin -HO-Double Recessed Contact</i>							
	14277	F18T12/CW/HO	1000	4100	18"	9000	60
	15584	F18T12/DGSN 50/HO	850	5000	18"	9000	90
35	11044	F24T12/CW/HO	1390	4100	24"	9000	62
35	11491	F24T12/D/HO	1400	6500	24"	9000	79
<i>T12-Single Pin</i>							
20	15600	F24T12/CW	1050	4100	24"	7500	60
<i>T12-Medium Bi-Pin-Pre Heat</i>							
25	15016	F25T12/CW/28	1550	4100	28"	7500	60
25	14773	F25T12/CW/30	1350	4100	30"	7500	60
25	14140	F25T12/CW/33	1860	4100	33"	7500	60
25	12385	F25T12/D/28	1450	6500	28"	7500	75
25	12832	F25T12/D/33	1600	6500	33"	7500	75
<i>T12-Medium Bi-Pin</i>							
30	14134	F30T12/CW	2275	4100	36"	12000	62
30	15042	F30T12/D	1900	6500	36"	18000	76
30	10054	F30T12/WW/RS	2275	3000	36"	18000	52
30	11544	F30T12/Natural lite plus	1550	5600	36"	18000	91
30	11723	F30T12/SL/Econo-G			36"	18000	
30	11395	F30T12/D835/RS	2250	3500	36"	18000	70
30	12415	F30T12/Triten 50	2380	5000	36"	18000	85
30	15585	F30T12/Deluxe warm white			36"	18000	
36	12587	F36T12/CW	2000	4100	36"	7500	60
<i>T12-Single Pin-HO- Double Recessed Contact (800ma)</i>							
40	13279	F30T12/CW/HO	2250	4100	30"	9000	60
40	13726	F30T12/D/HO	1920	6500	30"	9000	79
45	13253	F36T12/CW/HO	2800	4100	36"	9000	60
45	13481	F36T12/D/HO	2350	6500	36"	9000	75

Local Numbers

Phone: 602 233 2552

Fax: 602 233 1102



FOR HELP PLEASE CALL OUR

TOLL FREE NUMBERS

Phone: 877 615 4448

Fax: 877 432 8527

www.citylightsphx.com

Watts	City Lights Order Code	Bulb Code & Description	Lumens	Kelvin	Nominal MOL	Avg. life hours	CRI
<i>T12-Medium Bi-Pin</i>							
40	13415	F40T12/CW/EG/EnviroLite			48"	20000	
40	15868	F40T12/CWX	2150	4100	48"	20000	89
40	11127	F40T12/Daylite Plus Envirolite	2325	6500	48"	20000	84
40	12938	F40T12/WW/EG			48"	20000	
40	13362	F40T12/30U/Alto	3100	3000	22"	18000	85
40	10733	F40T12/D41/SS			48"	20000	
40	12617	F40T12/Spec41/Alto			48"	20000	
40	11872	F40T12/Triten Ultra 50	3600	5000	48"	20000	85
40	14304	F40T12/C50	2200	5000	48"	20000	92
40	12223	F40T12/Colorizer 75	2000	7500	48"	20000	95
40	13660	F40T12/735	3200	3500	48"	20000	82
40	15803	F40T12/D835/ECO	3200	3500	48"	20000	80
40	15642	F40T12/D865	3000	6500	48"	20000	80
40	11276	F40T12/Artic Brite Deluxe	2400	5100	48"	20000	82
40	11968	F40T12/Vita-lite	2180	5500	48"	18000	91
40	11372	F40T12/Display Pride	1900	2800	48"	20000	85
40	12074	F40T12/Desgn 50	1900	2800	48"	20000	85
40	12319	F40T12/N Natural lite	2100	3600	48"	20000	86
40	12021	F40T12/SL Spectralite			48"	20000	
<i>T12-Single Pin</i>							
35	10488	F42T12/CW	2400	4100	42"	7500	60
<i>T12-Single Pin-HO-Double Recessed Contact</i>							
55	10637	F42T12/CW/HO	3200	4100	42"	9000	60
55	10935	F42T12/D/HO	2900	6500	42"	9000	74
<i>T12-Single Pin</i>							
40	11382	F48T12/CW	2875	4100	48"	9000	60
40	11978	F48T12/D	2450	6500	48"	9000	76
40	15659	F48T12/D35	2575	3500	48"	9000	73
<i>T12-Single Pin-HO-Double Recessed Contact</i>							
60	15556	F48T12/CW/HO	3825	4100	48"	12000	60
60	12425	F48T12/D/HO	3400	6500	48"	12000	75
60	12574	F48T12/D41/HO		4100	48"	12000	
60	15671	F48T12/D41/HO	4250	3500	48"	12000	73
<i>T12-Single Pin-VHO-Double Recessed Contact</i>							
110	11680	F48T12/CW/VHO	7050	4100	48"	12000	62



Linear Fluorescent Lamps

Watts	City Lights Order Code	Bulb Code & Description	Lumens	Kelvin	Nominal MOL	Avg. life hours	CRI
		<i>T12-Single Pin</i>					
50	13915	F60T12/CW	3450	4100	60"	12000	62
50	15578	F60T12/D	3000	6500	58"	12000	76
		<i>T12-Single Pin -HO-Double Recessed Contact</i>					
75	13468	F60T12/CW/HO	5400	4100	60"	12000	62
75	10094	F60T12/D/HO	4600	6500	60"	12000	76
		<i>T12-Single Pin</i>					
52	14682	F64T12/CW	3900	4200	64"	12000	62
52	14143	F64T12/D	3000	6500	64"	12000	76
		<i>T12-Single Pin -HO-Double Recessed Contact</i>					
80	11137	F64T12/CW/HO	5750	4200	64"	12000	62
80	14276	F64T12/D/HO	4900	6500	64"	12000	76
		<i>T12-Single Pin</i>					
55	14846	F72T12/CW	4450	4100	72"	12000	62
55	14122	F72T12/D	3900	6500	72"	12000	76
55	15797	F72T12/D35	4700	3500	72"	12000	70
55	12627	F72T12/SP35			72"	12000	
57	15732	F72T12/Artic Brite	3325	5100	72"	12000	82
		<i>T12-Single Pin -HO-Double Recessed Contact</i>					
87	14840	F72T12/CW/HO/Alto	6350	4100	72"	12000	62
85	11786	F72T12/D/HO	5550	6500	72"	12000	76
85	15618	F72T12/WW/HO	6550	3000	72"	12000	52
85	13372	F72T12/D35/HO	6650	3500	72"	12000	70
85	14117	F72T12/D41/HO	6750	4100	72"	12000	70
85	12776	F72T12/D830/HO	6750	3000	72"	12000	80
85	13968	F72T12/N/HO	4300	3700	72"	12000	90
		<i>T12-Single Pin VHO-Double Recessed Contact</i>					
160	14232	F72T12/CW/VHO	10600	4200	72"	10000	62
160	14918	F72T12/D/VHO	12000	6500	72"	10000	72
		<i>T12-Single Pin</i>					
70	12084	F84T12/CW	5300	4200	82"	12000	62
		<i>T12-Single Pin -HO-Double Recessed Contact</i>					
100	12382	F84T12/CW/HO	7550	4200	84"	12000	62
100	14348	F84T12/D/HO	6700	6500	84"	12000	76

Local Numbers

Phone: 602 233 2552

Fax: 602 233 1102



FOR HELP PLEASE CALL OUR

TOLL FREE NUMBERS

Phone: 877 615 4448

Fax: 877 432 8527

www.citylightsphx.com

Watts	City Lights Order Code	Bulb Code & Description	Lumens	Kelvin	Nominal MOL	Avg. life hours	CRI
<i>T12-Single Pin</i>							
60	10902	F96T12/CW/EG	5400	4100	96"	12000	62
75	14538	F96T12/D			96"	12000	
75	10498	F96T12/D830	6550	3000	96"	12000	80
75	15739	F96T12/D835	6550	3500	96"	12000	80
75	11690	F96T12/SP35	6500	3500	96"	12000	73
75	13329	F96T12/SP41	6500	4100	96"	12000	72
75	10104	F96T12/C50	4600	5000	96"	12000	90
75	10551	F96T12/Tritten 50	6500	5000	96"	12000	85
75	15619	F96T12/WW			96"	12000	
75	11892	F96T12/Artic Brite Delux	4775	5100	96"	12000	82
75	14627	F96T12/GO			96"	12000	
75	10998	F96T12/N	4250	3700	96"	12000	90
75	16022	F96T12/Natural Lite Plus	4365	5600	96"	12000	91
75	11594	F96T12/SL			96"	12000	
<i>T12-Single Pin-HO-Double Recessed Contacts</i>							
110	15075	F96T12/CW/HO-O	8800	4100	96"	12000	62
110	14972	F96T12/D/HO-O	7600	6500	96"	12000	76
110	10402	F96T12/C50/HO	6300	5000	96"	12000	92
110	12882	F96T12/D835/HO	9400	3500	96"	12000	80
110	13723	F96T12/SP35/HO	9200	3500	96"	12000	73
95	12733	F96T12/SPEC35/HO/EW	8350	3500	96"	12000	70
110	12435	F96T12/SPX35/HO	9350	3500	96"	12000	82
110	14190	F96T12/SP41/HO	9200	4100	96"	12000	72
110	11743	F96T12/SL/HO			96"	12000	
110	11445	F96T12/N/HO	6250	3700	96"	12000	90
<i>T12-Single Pin VHO-Double Recessed Contact</i>							
215	10157	F96T12/CW/VHO	16000	4100	96"	12000	62
215	14937	F96T12/D/VHO	12505	6500	96"	12000	79
215	12041	F96T12/AB/VHO 1500ma			96"	12000	
<i>T12-Single Pin-HO- Double Recessed Contact</i>							
124	12541	F108T12/CW/HO	10350	4200	108"	12000	62
124	12690	F108T12/D/HO	8800	6500	108"	12000	76
<i>T12-Single Pin-HO- Double Recessed Contact</i>							
132	12392	F117T12/CW/HO	11200	4200	117"	12000	62
132	14642	F117T12/D/HO	9500	6500	117"	12000	76
<i>T12-Single Pin-HO- Double Recessed Contact</i>							
135	12243	F120T12/CW/HO	11500	4200	120"	12000	62
135	13324	F120T12/D/HO	9750	6500	120"	12000	76



Linear Fluorescent Lamps

Watts	City Lights Order Code	Bulb Code & Description	Lumens	Kelvin	Nominal MOL	Avg. life hours	CRI
<i>Mini Bi-Pin Germicidal</i>							
4	10034	G4T5			6"	6000	
6	12339	G6T5			8"	6000	
8	13163	G8T5			12"	6000	
<i>Medium Bi-Pin Germicidal</i>							
15	10246	G15T8			18"	7500	
30	10491	G30T8			36"	7500	
<i>Black Light</i>							
4	10481	F4T5/BL			6"	5000	
4	10630	F4T5/BLB			6"	5000	
6	11524	F6T5/BL			9"	5000	
6	11673	F6T5/BLB			9"	5000	
8	13461	F8T5/BL			12"	5000	
8	13610	F8T5/BLB			12"	5000	
15	14137	F15T8/350/BL			18"	7500	
15	14933	F15T8/BLB/TLD 15W/08			18"	7500	
25	11789	F25T8/BL/18"			18"		
30	15653	F30T8/350/BL			36"	7500	
32	13404	F32T8/BLB/TLD 36W/08					
15	14445	F15T12/350/BL/500PH					
18	10438	F18T12/350/BL/700PH					
20	10597	F20T12/BL			24"	9000	
20	10448	F20T12/BLB			24"	9000	
40	11670	F40/BLB			48"	20000	
<i>T6-FUL-U-Bent 4 Pin</i>							
12	11322	FUL12T6/BL			6"	5000	
15	12067	FUL15T6/BL			8"	5000	
<i>T8-FUL-U-Bent 4 Pin</i>							
15	12216	FUL15T8/BL					
40	13259	FUL40T8/BL					
<i>U-Lamp 3" c to c</i>							
40	11299	FB40/BL/U3			22.5"	14000	
<i>Replacement Lamps for Insect Killer Devices</i>							
15	12216	BF15/15W/UV Black	 BF15 Tight "U" shape High-Intensity Lamps				
25	12343	BF50/25W/UV Black					
40	14791	BF130/40W/UV Black					
40	12641	BF150/40W/UV Black					
40	12492	BF175/40W/UV Black					
			 BF130	 BF150			



Watts	City Lights Order Code	Bulb Code & Description	Lumens	Kelvin	Nominal MOL	Avg. life hours	CRI
<i>Shatterproof Lamps</i>							
8	12716	F8T5/CW	385	4100	12"	5000	60
	11614	F13T8/CW					
	11577	F14T8/CW					
15	11683	F15T8/CW	970	3500	18"	7500	82
	11385	F15T8/RED					
32	14968	F32T8/TL741	2750	4100	48"	20000	75
	15617	F20T12/Gold					
40	13756	F40T12/CW/ES	2950	4100	48"	20000	60
40	15614	F40T12/WW	2900	4100	48"	20000	60
39	11233	F48T12/CW	2875	4200	48"	9000	62
60	12094	F96T12/CW	5300	4200	96"	12000	62
55	15616	F72T12/WW	4550	3000	48"	12000	52
<i>T12-Single Pin-HO-Double Recessed Contact-Shatter Proof</i>							
75	13766	F60T12/CW/HO	4990	4150	60"	12000	62
85	10743	F72T12/CW/HO	6150	4100	72"	12000	60
95	11647	F96T12/CW/HO	8000	4200	96"	12000	62
<i>T9-Circline 4 Pin 1-1/8" diam. (G10q)</i>							
20	11176	FC6T9/CW/RS	800	4100	6.5"	12000	60
20	11325	FC6T9/WW/RS	800	3000	6.5"	12000	52
22	12070	FC8T9/CW/RS	1100	4100	8.25"	12000	60
22	14193	FC8T9/D/RS	925	6500	8.25"	12000	75
22	14564	FC8T9/WW/RS	1050	3000	8.25"	12000	52
32	12964	FC12T9/CW/RS	1950	4100	12"	12000	60
32	13113	FC12T9/D/RS	1675	6500	12"	12000	75
32	15058	FC12T9/WW	1950	3000	12"	12000	52
40	14007	FC16T9/CW/RS	2700	4100	16"	12000	60
40	10186	FC16T9/D/RS	2250	6500	16"	12000	75
40	13709	FC16T9/WW/RS	2800	3000	16"	12000	52



Local Numbers
Phone: 602 233 2552
Fax: 602 233 1102



FOR HELP PLEASE CALL OUR
TOLL FREE NUMBERS
Phone: 877 615 4448
Fax: 877 432 8527
www.citylightsphx.com

Linear Fluorescent Lamps



Watts	City Lights Order Code	Bulb Code & Description	Lumens	Kelvin	Nominal MOL	Avg. life hours	CRI
<i>T8-U-Bent Medium Bi-Pin - 1-5/8" Leg Spacing</i>							
16	14891	FBO16/841	1125	4100	10.5"	20000	82
24	14853	FBO24/841	1925	4100	16.5"	20000	82
31	15874	FBO31/830	2725	3000	22.5"	20000	82
31	10819	FBO31/835	2725	3500	22.5"	20000	82
31	10968	FBO31/841	2725	4100	22.5"	20000	82
31	10223	FBO31/750	2600	5000	22.5"	20000	75
<i>T8-U-Bent Medium Bi-Pin -6" Spacing</i>							
32	15095	FB32T8/735/U6 Enviro	2650	3500	22"	20000	
32	15711	FB32T8/835/U6	2800	3500	22"	20000	
32	14035	FB32T8/Super741/U6 Enviro	2650	4100	22"	20000	
32	10405	FB32T8/841/U6	2800	4100	22"	20000	
32	10554	FB32T8/Triten50/U6/Enviro		5000	22"	20000	
32	15609	FB32T8/Super750/U6 Enviro	2600	5000	22"	20000	
<i>T12-U-Lamp-HO-6" Spacing</i>							
	13981	FTU-6-24/CW/HO		4100	12"	9000	
	10160	FTU-6-36/CW/HO		4100	18"	9000	
	10458	FTU-6-48/CW/HO		4100	24"	12000	
	10756	FTU-6-60/CW/HO		4100	30"	12000	
	11054	FTU-6-72/CW/HO		4100	36"	12000	
	10061	FTU-6-72/D/HO		6500	36"	12000	
	11352	FTU-6-96/CW/HO		4100	48"	12000	
	11799	FTU-6-120/CW/HO		4100	60"	12000	
<i>T12-U-Lamp-HO-9" Spacing</i>							
	10677	FTU-9-36/CW/HO		4100	18"	9000	
	10607	FTU-9-48/CW/HO		4100	24"	12000	
	10905	FTU-9-60/CW/HO		4100	30"	12000	
	11203	FTU-9-72/CW/HO		4100	36"	12000	
	14909	FTU-9-84/CW/HO		4100	42"	12000	
	11501	FTU-9-96/CW/HO		4100	48"	12000	
	11650	FTU-9-120/CW/HO		4100	60"	12000	

Local Numbers
 Phone: 602 233 2552
 Fax: 602 233 1102



**FOR HELP PLEASE CALL OUR
 TOLL FREE NUMBERS**
 Phone: 877 615 4448
 Fax: 877 432 8527
www.citylightsphx.com

