

LET OUR MULTI-PURPOSE FABULOUS CLEANING TOWELS DELIVER A FINISHED PROFESSIONAL LOOK FOR EVERY JOB

**Non-Toxic-Non-Citrus Water-Based Formula
Biodegradable. USDA Authorized. No Dye or Scent.
One side rough-One side smooth**

CAN BE

USED ON:

Skin

Metals

Finished wood

Laminates

Fiberglass

Porcelain

Tile

Ceramics

Concrete

Terrazzo

Carpets

Upholstery

Plastics

REMOVES:

Grease

Oil

Wet paint

Carbon

Graphite

Tar

Most inks

Fats

Food

Soot

Dirt

Grime



13341

Pre-Moistened. Quick. Versatile

Nut & Threadlocker

REMOVABLE

**Medium Strength
Thread Lock**



23785 -6ml

Stop the Sticking

Special lubricant prevents bulbs, fuses & batteries from sticking in sockets.

A new product that solves an old problem

23658

Non-toxic.

Prevents corrosion

Use with any style bulb or fuse.

Prevents oxidation & electrolysis.

Not recommended for halogens.



www.citylightsphx.com

3911 W Van Buren #3
Phoenix, AZ. 85009

Local
Phone: 602 233 2552
Fax: 602 233 1102



Call Toll Free
Phone: 877 615 4448
Fax: 877 432 8527

2 Hardware Items

Steel Nipples

Zinc Plated 1/8 IPS



- 1/2" -27145
- 3/4" -22415
- 1" -27126
- 1-1/4" -22007
- 1-1/2" -24501
- 1-3/4" -26101
- 2" -27110
- 2-1/4" -25894
- 2-1/2" -26107
- 3" -26139
- 3-1/2" -27119
- 4" -26098
- 4-1/2" -27104
- 5" -26108
- 5-1/2" -26132
- 6" -27146
- 36" -27125

Steel Nipples

Zinc Plated 1/4 IPS



- 1" - 26114
- 3" - 27112
- 4" - 26128
- 5" - 27135
- 36" - 26123

Steel Nipple

(all thread)

Zinc Plated
3/8 IPS x 36"
26134



Solid Brass Unfinished Hex Nut 1/8 IP

1/2" x 1/8" thick



28107

Steel Pal Nut



27109 -unf. 1/8 IP
28110 -brass plated

Brass Plated

Steel Lockwasher

1/8 IP slip



28118

Steel Hex Nuts 1/4 IP



29251

unfinished
3/4" x 1/4" thick

Steel Hex Nut 1/8 IP

9/16" x 1/8" thick



27150 -unf.
26124 -z/p

Steel Hex Nut 1/8 IP

9/16" x 3/16" thick



27147 -unf.
26105 -z/p



29095

unfinished
11/16 x 1/8" thick

1/8 IP x 1"

Steel Washer



29260 -brass plated

1/8 IP Caps



29233 -brass
29265 -chrome

Brass Cord Bushing



29237 -1/8IP

Steel Lockwasher 1/4 IP

29315
unfinished



Stamped Steel Hickey



29277 -1/8 x 1/8 x 5/8

29215 -1/8 x 1/8 x 1

25625 -1/8 x 1/8 x 1-1/2 (straight)

Brass Reducer Bushings

28235 - 1/8IP x 8/32

29140 - 1/4IP x 1/8IP



White Plastic Caps 1/8 IP



26135

Call Toll Free

Phone: 877 615 4448

Fax: 877 432 8527



www.citylightsphx.com

Local

Phone: 602 233 2552

Fax: 602 233 1102

3911 W Van Buren #3

Phoenix, AZ. 85009

1/4 IP Cross Bar with Grd. screw



1" x 4-3/8" 28100 -z/p

1/8 IP Gem Bar with Grd. screw



3/4" x 3-7/8" 27129 -z/p

3/8 IP Cross Bar

27254 -z/d



1" x 4-3/8" with 8/32 grd. screw hole

Offset Cross Bar with Grd. screw



1" x 4" Holes 2-3/4", 3-3/8" & 3-1/2" center to center 26115 -z/p

Hex Head Nipples

**1/8 IPS male thread
zinc plated**



**23564 -3/8"
23967 -1/2"**

**Hex Head
Ground Screw**

8/32 tap



29115 - green

Universal Circle Crossbar



26140 -z/p

**Holes
2-3/4" & 3-1/2"
center to center**

Universal Crossbar



**Holes:
2-3/4" & 3-1/2"
center to center 28104 -z/p**

www.citylightsphx.com

3911 W Van Buren #3
Phoenix, AZ. 85009


Local
Phone: 602 233 2552
Fax: 602 233 1102



Call Toll Free
Phone: 877 615 4448
Fax: 877 432 8527

Bulb Remover

5 Piece Heavy Duty Industrial Light Bulb Changing Kit



Broken bulb changer for
standard incandescent
& candelabra bulbs

Nominal working height is 20 plus feet.

Kit Includes:

Incandescent standard bulb remover.
Floodlight bulb remover.
Recessed bulb remover.
High intensity discharge bulb remover
(*not pictured*).
Aluminum pole that extends from
58" to 16 feet.

Advantages:

One light weight aluminum pole that does the work of 4 interlocking poles, easy to handle, compact design for easy storage.





Call Toll Free
Phone: 877 615 4448
Fax: 877 432 8527



www.citylightsphx.com
Local
Phone: 602 233 2552 3911 W Van Buren #3
Fax: 602 233 1102 Phoenix, AZ. 85009

4" Swivel Type Cover Plate

45° swing



Galvanized steel
Thread 3/4"
Weight limit 75lbs

25942

Fits 4" square electrical box



24708

Bracket Bar + Canopy + 3/8 IPS Ball
Weight limit 50 lbs

24715


Flash Plate + Canopy + 3/8 IPS Ball
Weight limit 75 lbs

Locknut



3/8 IP x 1-1/16" sq.
.073 thick zinc plated

Down Rod for Swivel Canopy Ball 3/8 IPS thread.



24735 -12"

25215 -24"

25237 -48"

24718 -18"

24728 -36"

www.citylightsphx.com

3911 W Van Buren #3
Phoenix, AZ. 85009

Local
Phone: 602 233 2552
Fax: 602 233 1102



Call Toll Free
Phone: 877 615 4448
Fax: 877 432 8527

6 Chain & Accessories



#8 Flat Black
23642



#8 White
23741



#8 Ready to Paint
23775



#8 Nickel
23712



#8 Pol. Brass
23631



#8 Ant. Brass
23837

#4 Flat Black
23890

#4 Ready to Paint
23841

#4 Nickel
23650

#4 Pol. Brass
23701

#4 Ant. Brass
23567

Die Cast Loops with Wireway

1/8 IP x 1-1/2"



23975

**Polished Brass
Plated**



23809

**Antique Brass
Plated**

Heavy Duty Malleable Iron Chain Pliers

23817



Call Toll Free
Phone: 877 615 4448
Fax: 877 432 8527



www.citylightsphx.com
Local
Phone: 602 233 2552 3911 W Van Buren #3
Fax: 602 233 1102 Phoenix, AZ. 85009

Lamp Hardware & Harps 7

Brass Plated Harps & Saddles

Top Hat Finial



23471

Steel Plated
Polished Brass

1/2" high x 1/4-27 thread

Solid Brass Check Ring

1" x 1/8 IP center hole

23688



Rubber Washer

7/8" O.D. x 1/8 IP slip

white color 25524



Electrical Tape

23460



3/4" x 59'
Black PVC
UL approved

5" Neckless Ball Holder



27201

Regular Duty

23940 -7"

23654 -8"

23703 -9"

23838 -10"



All Harps
Include Saddles

Other sizes available
by special order

Heavy Duty

24153 -7"

23691 -8"

24365 -9"

23745 -10"

Power Tapes



23779 -16' x 3/4"

23457 -25' x 1"

Plastic casing w/ rubber grip.
Yellow construction.
Belt clip.

www.citylightsphx.com

3911 W Van Buren #3
Phoenix, AZ. 85009

Local
Phone: 602 233 2552
Fax: 602 233 1102



Call Toll Free
Phone: 877 615 4448
Fax: 877 432 8527

8 Hardware & Fittings

Solid Brass Coupling

Threaded 1/8 IP

5/8" high

23662



Brass Armback

5/8" Dia. x 3/4" high

1/8 IP

23711



Brass Ball

1/4 IP x 3/4" Dia.

29080



Beaded Nut

1/8 IP x 9/16"

23562



3-Hole Brass Armback

5/8" Dia. x 3/4" High

1/8 IP top, bottom & side

23572



Brass Knurled Locknut

1/8 IP x 3/4" dia.

23705



Brass Cap

8/32 tap

23707



Brass Ball

8/32 x 3/8"

23693



Brass Swivels

23491

1/8 M x 1/8 F

1-1/4" high

Swivel with stop



23581

1/8 M x 1/8 F

Knurled swivel



Brass Beaded Neck

13/16" Dia. x 7/8" High

1/8 IP tap

23735



Solid Brass

Hang Straight Swivel

28230

1/4F x 1/4F

Ring nut seats 1-1/16"

Height 1-1/2"



Brass Neck

3/4" H x 9/16" W

1/8 IP tap

23820



Die Cast Loops with Wireway

1/8 IP x 1-1/2"

23975



Polished Brass
Plated

23809



Antique Brass
Plated

Call Toll Free

Phone: 877 615 4448

Fax: 877 432 8527



www.citylightsphx.com

Local

Phone: 602 233 2552

Fax: 602 233 1102

3911 W Van Buren #3


Phoenix, AZ. 85009

○ Round Hole Cutter ○

Adjustable Radius Blades cut from 1-3/4" to 8-3/8" diameter



Carrying case included



25941

Clear acrylic cup provides a tight fit for safe debris collection.

For cutting round holes in ceilings, walls and floors. Cuts plywood, plasterboard and acrylic sheet up to 2.3cm thick. Drilling from the opposite side allows cuts up to 4.5cm thick. Maximum cutting diameter is 20cm.

Cutting radius is freely adjustable via adjusting lever. Can be used with any variable speed drill. Transparent cowl prevents chips from flying into eyes while cutting.



www.citylightsphx.com

3911 W Van Buren #3
Phoenix, AZ. 85009

Local
Phone: 602 233 2552
Fax: 602 233 1102



Call Toll Free
Phone: 877 615 4448
Fax: 877 432 8527

Super High Quality Tools

Ergonomic Front Crimper

- >Anvil-type wire cutter
- >Bolt cutting capabilities
- >Air pocket cushion grip
- >Color coded crimping jaws
- >Wire sizes permanently etched in metal

Bolt cutter sizes:

4-40/6-32/8-32/10-32/10-24

Min/Max strip AWG: 20-10

29444



Ergonomic Wire Strippers/Cutter

- >Plier nose for pulling and looping wire
- >Precision ground stripping area
- >Handle lock for added safety
- >Scissor-type cutting blade
- >Air pocket cushioned grip

Min/Max strip AWG: 20-10

23742



Standard Wire Strippers

- >Serrated plier nose with scissor-type cutter
- >Precision ground stripping nests
- >Handle lock and non-slip grip
- >Automatic spring return

Min/Max Strip AWG 20-10

23709



Wire Strippers & Cutter

Spring tension


Adjustable up to #10 AWG wire

23633



Heavy Duty Malleable Iron Chain Pliers

23817



For use with #10, 11, 8, or 4 gauge chain

Call Toll Free

Phone: 877 615 4448

Fax: 877 432 8527



www.citylightsphx.com

Local

Phone: 602 233 2552

Fax: 602 233 1102

3911 W Van Buren #3

Phoenix, AZ. 85009

13 Watt Tough Duty 25ft. Fluorescent Work Light

Polarized plug with grounded receptacle & rocker On/Off switch.
Bulb equivalent to a 75 W incandescent bulb.
Clear chemical & UV resistant lamp protector.
Convenient & versatile nylon-tipped double hang hook.
Clear polycarbonate top for spot-lighting.



The Industrial Standard... The Pro Mechanics Choice

Features: 23649

- > 13 watt 10,000 hour rated 7000 kelvin bulb (included) lasts up to 7 years.
- > Cooler than incandescent work lights.
- > High impact lamp protector with high gloss reflector.
- > Yellow flame retardent polypropylene handle.
- > Grounded 12 Amp tool tap in the handle.
- > 25ft. 16/3 SJT cord.
- > Hang it, stand it, hold it.
- > Spot light top.
- > UL listed.

Professional Work Lights

Features:

15W fluorescent lamp.
7,000 hour rated bulb.
5,000 kelvin.
Extra long 17" high impact protectorw/high gloss reflector.
Plastic hang hook on one end plus 2 metal hooks for hanging versatility.
Cord length 25 feet.
Cord gauge 18/2 SJT wire.



15W Fluorescent work light 25770

www.citylightsphx.com

3911 W Van Buren #3
Phoenix, AZ. 85009

Local
Phone: 602 233 2552
Fax: 602 233 1102



Call Toll Free
Phone: 877 615 4448
Fax: 877 432 8527

Work Lights



25238

26 Watt Double Bright Professional Fluorescent

25ft. 16/3 SJTW cord.
 2 cool running 13 watt 10,000 hour rated bulbs (included).
 Equivalent to 125w incandescent bulb with natural daylight illumination of 7000 kelvin.
 Innovative retractable & removable nylon-tipped double hang hook rotates 360 degrees.
 Polarized plug with 12amp grounded receptacle & on/off rocker switch.
 Unique 90 degree swivel cord pivots for hands-free stand-up use.
 Clear polycarbonate top for spot-lighting.
 High-impact lamp protector with high-gloss reflector.
 Clear chemical & UV resistant lamp protector

Halogen Work Lights



24594

1000 Watt Twin Head Tripod Halogen Light

6ft. 18/3 SJTW cord.
 Approx 6ft telescoping tripod w/adjustable leg for leveling on uneven surfaces.
 2x500w halogen bulbs with spare bulb in protective bulb holder.
 Removable light rack easily converts into a portable fixture.
 Separate switches provide 2 light levels-500w & 1000w of halogen light.
 Tempered glass lens w/metal safety grill.

500 Watt Halogen Light



25893

3ft. 18/3 SJTW cord.
 Tempered glass lens w/metal safety grill.
 Foam grip "S" type handle.
 500w halogen bulb w/spare bulb included.
 Durable powder coat finish.

Call Toll Free

Phone: 877 615 4448
 Fax: 877 432 8527


www.citylightsphx.com

Local

Phone: 602 233 2552
 Fax: 602 233 1102

3911 W Van Buren #3
 Phoenix, AZ. 85009

www.citylightsphx.com

3911 W Van Buren #3
Phoenix, AZ. 85009

Local
Phone: 602 233 2552
Fax: 602 233 1102



Call Toll Free
Phone: 877 615 4448
Fax: 877 432 8527